





侧滚轮输送链



Side roller conveyor chains series



链号 Chain No.	节距 Pitch	滚子直径 Roller diameter	内节内宽 Width between inner plates	链板厚度 Plate thickness	内链板高度 Inner plate depth	销轴尺寸参数 Pin dimension				外滚轮尺寸 Outboard roller dimension	
	P	d ₁ max	b ₁ min	T	h ₂ max	d	L ₁	L ₂	L ₃	D _s	H _s
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm
C2040-SR	25.40	7.95	7.85	1.50	12.07	3.96	8.30	17.70	19.90	15.88	7.80
C2042-SR		15.88						23.10	24.50	23.00	13.00
C2050-SR	31.75	10.16	9.43	2.06	15.09	5.08	10.30	21.50	23.50	19.05	9.40
C2052-SR		19.05						25.30	27.00	27.00	13.00
C2060-SR	38.10	11.91	12.57	3.26	18.08	5.94	14.95	29.65	32.05	22.23	12.60
C2062-SR		22.23						30.05	32.45	30.00	13.00
C2080-SR	50.80	15.88	15.75	4.00	24.13	7.92	18.30	36.65	39.65	28.58	15.80
C2082-SR		28.58									
C2100-SR	63.50	19.05	18.90	4.80	30.18	9.53	22.05	44.20	47.30	39.69	19.00
C2102-SR		39.67									
C2060Ha-SR	38.10	22.23	12.57	3.26	18.08	5.94	-	29.65/30.65	33.15/35.45	30.00/22.23	11.60/12.60
C2062Ha-SR											

注：按客户要求外滚轮材料可采用工程塑料。

Note: According to customer require, outboard roller material may be engineered plastic



链号 Chain No.	节距 Pitch	滚子直径 Roller diameter	内节内宽 Width between inner plates	链板厚度 Plate thickness	内链板高度 Inner plate depth	销轴尺寸参数 Pin dimension				外滚轮尺寸 Outboard roller	
	P	d _i max	b _i min	T	h ₂ max	d	L ₁	L ₂	L ₃	D _s	H _s
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm
40-SR	12.70	7.95	7.85	1.50	12.07	3.96	8.30	17.70	19.90	15.88	7.80
50-SR	15.875	10.16	9.43	2.06	15.09	5.08	10.30	21.50	23.50	19.05	9.40
60-SR	19.05	11.91	12.57	2.44	18.08	5.94	12.95	27.95	30.35	22.23	12.60
80-SR	25.40	15.88	15.75	3.26	24.13	7.92	16.35	35.05	37.95	28.58	15.80
100-SR	31.75	19.05	18.90	4.00	30.18	9.53	20.55	42.55	45.65	39.69	19.00


注：按客户要求外滚轮材料可采用工程塑料。
Note: According to customer require, outboard roller material may be engineered plastic





侧滚轮输送链

Side roller conveyor chains series



环球链号 Universal Chain No.	节距 Pitch	滚子直径 Roller diameter		销轴直径 Pin diameter	销轴长度 Pin length		内节外宽 Width between outer plates	链板高度 Inner plate depth	链板厚度 Plate thickness	抗拉强度 Ultimate tensile strength
	P	d ₁ max	d ₃ max	d ₂ max	L max	Lc max	b2 max	h ₂ max	T	Q min
	mm	mm	mm	mm	mm	mm	mm	mm	mm	kN
08BSa	12.7	16	8.5	4.45	25.1	27.45	14.5	11.8	1.6/2	8.9