





节距 Pitch	内节内宽 Width between inner plates	滚子直径 Roller diameter	链板高度 Inner plate depth	链板厚度 Plate thickness	空心销轴尺寸 Hollow pin dimension			附件尺寸 Attachment dimension					抗拉强度 Ultimate tensile strength
P	b_1 min	d_1 max	h_2 max	T	d_2 min	L max	L_1 max	C	S	D	F	W max	Q min
mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kN
50.80	15.80	28.58	23.20	3.26	10.10	32.60	34.30	17.00	40.30	32.00	62.50	85.00	38.50




空心销轴链

Hollow pin conveyor chains

I型 type I





II型 type II



环球链号 Universal Chain No.	节 距 Pitch	套筒直径 Bush diameter	内节内宽 Width between inner plates	销轴尺寸参数 Pin dimension						链板厚度 Plate thickness	内链板高度 Inner plate depth	抗拉强度 Ultimate tensile strength	型 号 Type
				d2 max	d3 min	A	B	L (A+A)	Lc (A+B)				
				mm	mm	mm	mm	mm	mm				
40HP	12.70	7.95	7.95	5.68	4.00	8.10	9.40	16.2	17.5	1.50	11.70	13.2	I
50HP	15.875	10.16	9.53	7.24	5.12	10.3	11.7	20.6	22.0	2.00	14.60	20.6	I
60HP	19.05	11.91	12.70	8.37	5.99	12.90	14.3	25.8	27.2	2.40	17.50	31.4	I
80HP	25.40	15.88	15.88	11.24	8.02	16.30	17.80	32.6	34.1	3.20	23.00	53.0	I
*081HRNP	12.70	7.75	3.30	5.54	3.55	5.10	6.10	10.2	11.2	1.10	10.5	10.0	I
12BHP	19.05	12.07	11.68	8.09	6.00	11.35	12.55	22.7	23.9	1.90	16.0	14.0	I
#P38.1HB	38.10	20.00	8.00	11.0	8.00	9.75	10.35	19.5	20.1	2.00	17.0	28.0	II
#P50.8HB	50.80	30.00	11.00	12.0	8.11	13.50	14.35	27.0	27.85	3.00	26.0	50.0	II

* 镀镍滚子链：表中套筒直径 d1 为滚子直径
Nickel-plated Roller chains: d1 in the table indicate the external diameter of the roller

滚子链：表中套筒直径 d1 为滚子直径
Roller chains: d1 in the table indicate the external diameter of the roller

I型
type III型
type II

环球链号 Universal Chain No.	节距 Pitch	套筒直径 Bush diameter	内节内宽 Width between inner plates	销轴尺寸参数 Pin dimension						链板厚度 Plate thickness	内链板高度 Inner plate depth	抗拉强度 Ultimate tensile strength	型号 Type
	P	d1 max	b1 min	d2 max	d3 min	A	B	L (A+A)	Lc (A+B)	t/T	h2 max	Q min	
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	KN	
C2040HP	25.40	7.95	7.95	5.68	4.00	8.10	9.40	16.2	17.5	1.5	11.70	13.2	I
#C2042HP		15.88											II
C2050HP	31.75	10.16	9.53	7.24	5.12	10.3	11.7	20.6	22.0	2.0	14.60	20.6	I
#C2052HP		19.05											II
C2060HP	38.10	11.91	12.70	8.37	5.99	12.90	14.3	25.8	27.2	2.4	17.50	31.4	I
#C2062HP		22.23											II
C2080HP	50.80	15.88	15.88	11.24	8.02	16.30	17.80	32.6	34.1	3.2	23.00	53.0	I
#C2082HP		28.58											II
#P76.2HB	76.20	47.60	18.50	18.30	12.41	24.45	25.65	48.9	50.1	5.0	40.0	132.0	II
#P101.6HB	101.6	66.70	26.00	25.00	20.31	31.50	32.90	63.0	64.4	8.0/6.0	50.0	150.0	II
#P101.6HBa	101.6	66.70	30.70	32.00	20.70	43.60	45.00	87.2	88.6	12.7/10.0	60.0	500.0	II

#滚子链：表中套筒直径 d_1 为滚子直径
Roller chains: d_1 in the table indicate the external diameter of the roller




空心销轴链

Hollow pin conveyor chains


A型

type A





B型

type B



环球链号 Universal Chain No.	节距 Pitch	套筒直径 Bush diameter	内节内宽 Width Between Inner Plates	销轴直径 Pin diameter		销轴长度 Pin Length		内链板高度 Inner plate depth	链板厚度 Plate thickness	抗拉强度 Ultimate tensile strength	型号 Type
	P	d1 max	b1 min	d2 max	d3 min	L max	Lc max	h2 max	t/T	Q min	
	mm	mm	mm	mm	mm	mm	mm	mm	mm	KN	
10BHR	15.875	10.16	6.5	7.6	5.0	17.0	/	14.72	1.7	15	B
12BHR	19.05	12.07	11.86	8.03	5.41	22.5	23.8	15.8	1.9	25	A
12BHRA			11.70		5.0						

#滚子链：表中套筒直径d1为滚子直径
Roller chains: d1 in the table indicate the external diameter of the roller

A型
type AB型
type B

环球链号 Universal Chain No.	节距 Pitch	套筒直径 Bush diameter	内节内宽 Width Between Inner Plates	销轴直径 Pin diameter		销轴长度 Pin Length		内链板高度 Inner plate depth	链板厚度 Plate thickness	抗拉强度 Ultimate tensile strength	型号 Type
	P	d1 max	b1 min	d2 max	d3 min	L max	Lc max	h2 max	t/T	Q min	
	mm	mm	mm	mm	mm	mm	mm	mm	mm	KN	
08BHFb	12.70	8.51	9.5	6.55	5.0	18.15	/	11.81	1.6	11.1	A
P40HP	40	18.0	22.0	12.0	8.0	47.2	48.8	35.0	5.0	59	B
C60HP	19.05	11.91	12.61	8.33	6.0	25.8	27.5	18.08	2.4	26.9	B
80HPc	25.4	15.88	15.75	11.4	8.4	32.6	33.8	24.0	3.2	45	A


#滚子链：表中套筒直径 d1 为滚子直径
Roller chains: d1 in the table indicate the external diameter of the roller




空心销轴链

Hollow pin conveyor chains

A型 type A



B型 type B



环球链号 Universal Chain No.	节距 Pitch	滚子直径 Roller diameter	内节内宽 Width Between Inner Plates	销轴直径 Pin diameter		销轴长度 Pin Length		内链板高度 Inner plate depth	链板厚度 Plate thickness	抗拉强度 Ultimate tensile strength	型号 Type
	P	d1 max	b1 min	d2 max	d3 min	L max	Lc max	h2 max	t/T	Q min	
	mm	mm	mm	mm	mm	mm	mm	mm	mm	KN	
10BHB	15.875	10.16	9.65	5.94	4.10	19.4	20.5	14.72	1.7	17	A
C2052HB	31.75	19.05	9.53	7.24	5.13	20.6	22.1	14.73	2.0	17.92	A
P40HB	40.0	26.0	10.0	11.4	8.20	27.0	29.0	24.0	3.0	32	A
P50HB	50.0	20.0	14.0	9.0	6.2	28.5	30.3	20.0	2.5	20.42	A
P50.8HBa	50.8	30.0	10.0	11.7	8.10	26.6	27.8	26.0	3.0	60	B
P50.8HBb				11.4	8.20						
P63HB	63.0	30.0	10.0	11.7	8.10	26.6	27.8	26.0	3.0	50	B